







D

|   | _ |  |                   |                             |            |               |
|---|---|--|-------------------|-----------------------------|------------|---------------|
| Approval Print  |   | Tolerances Unless Otherwise Specified  |                   | Mark 3                      | Date:      | 10/2/2012     |
| Cherry's Industrial Equipment                                       |   | Decimals: 0.X = +/- 0.1 Angle: +/- 1<br>0.XX = +/- 0.01  |                   | Poly Roller Skid            | Scale:     | 1:xx          |
| Date Sent:  |   | 0.XXX = +/- 0.005 Fraction: +/- 1/4  |                   |                             | Drawn By:  | RJL           |
| APPROVED. PROCEED WITH FABRICATION                                  |   | This drawing is confidential and is<br>supplied on the express condition<br>that it is not cooled or |                   | <b>CHERRY'S</b>             | Checked By | : RJL         |
| APPROVED AS NOTED. PROCEED WITH FABRICATION. FURNISH REVISED PRINTS |   | communicated to other persons<br>or companies  | X X/X/XXXX XXX    |                             | Material:  | Steels        |
|   |   | Do not scale - If in doubt, ask  | # Date By         | 600 Morse Ave.              | Weight:    | 26 lbs. Aprx. |
| REVISE AS NOTED. RE-SUBMIT FOR APPROVAL. DO NOT FABRICATE.          |   | Please inform if modifications<br>are made during manufacture All Units in Inches                    | Drawing Revisions | Elk Grove Village, IL 60007 | Drawing #: | RSMK3a        |
| 8 7 6   | 5 | 4  | 3                 | 2                           |            | 1             |

|   | 8        | 7           | 6                 | 5       | 4   | 3                 | 2  | 1                                       |     |
|---|----------|-------------|-------------------|---------|---|-------------------|--|---|-----|
|   | ITEM NO. | PART NUMBER | DESCRIPTION       | QTY.    |   |                   |  |   |     |
|   | 1        | RS-A-119    | Tandem Connector  | 2       |   |                   |  |   |     |
| F | 2        |             | 5/16" x 3/4" Bolt | 1       |   |                   |  |   | F   |
|   | 3        |             | 5/16" Nut         | 1       |   | 2                 |  |   |     |
|   |          |             |                   |         |   |                   |  |   |     |
| _ |          |             |                   |         |   |                   |  |   | -   |
|   |          |             |                   |         |   |                   |  |   |     |
| E |          |             |                   |         |   |                   |  |   | E   |
|   |          |             |                   |         | Ų   |                   |  |   |     |
|   |          |             |                   |         |   | 10                |  |   |     |
| - |          |             |                   |         |   |                   |  | $\left[ O \right]$                      | F   |
|   |          |             |                   |         |   |                   | I III  |   |     |
| D |          |             |                   |         |   |                   | Q  |   | D   |
|   |          |             |                   |         |   |                   | " - Company  |   |     |
|   |          |             |                   |         |   | 110               | Contraction of the second seco |   |     |
| - |          |             |                   | /       |   |                   |  |   | ┫   |
|   |          |             | ~                 | $\int $ |   |                   |  |   |     |
|   |          |             |                   |         |   | $\frown$          |  |   |     |
| С |          |             |                   |         |   |                   |  |   | С   |
|   |          |             |                   |         |   |                   |  |   |     |
|   |          |             | A H H             |         |   | $\frown$          |  |   |     |
|   |          |             |                   | 0       |   | (3)               |  |   |     |
|   |          |             |                   |         |   |                   |  |   |     |
| в |          |             |                   |         |   |                   |  |   | В   |
|   |          |             |                   |         | e   |                   |  |   |     |
|   |          |             |                   |         |   |                   |  |   |     |
|   |          |             |                   |         |   |                   |  |   |     |
|   |          |             |                   |         | Tolerances Unless Otherwise Specifie  | ed d              | Tandem Connector   | Date: 10/11/2012                        |     |
| A |          |             |                   |         | Decimals: 0.X = +/- 0.1 Angle: +/- 0.:<br>0.XX = +/- 0.01 0.XXX = +/- 0.05 Fraction: +/- 1/   |                   | Parts Break Down   | Scale:     1:xx       Drawn By:     RJL | A   |
|   |          |             |                   |         | This drawing is confidential and is<br>supplied on the express condition<br>that is not copies of or<br>communicated to other persons   | on X X/X/XXXX XXX | CHERRY'S   | Checked By: RJL<br>Material: -          |     |
|   |          |             |                   |         | or companies<br>Do not scale - If in doubt, ask<br>Piease inform if modifications<br>are made during manufacture<br>All Units in Inches | # Date By         | INDUSTRIAL EQUIPMENT<br>600 Morse Ave.<br>Elk Grove Village, IL 6000   |   | r M |
|   | 8        | 7           | 6                 | 5       | are made during manufacture All Units in InChes 4   | Drawing Revisions | 2  | 7 Drawing #: Tandem Connector           |     |

